

<<中国地层名称>>

图书基本信息

书名：<<中国地层名称>>

13位ISBN编号：9787040254754

10位ISBN编号：7040254751

出版时间：2009-5

出版时间：高等教育出版社

作者：张守信 编

页数：1537

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<中国地层名称>>

内容概要

Geological Formation Names of China 0866-2000) is the only catalogue on stratigraphic nomenclature for China in the world to keep two writing types (Wade-Giles Romanization and Chinese Phonetic Alphabet) so as to provide convenience for domestic and overseas readers. The catalogue is intended for specialists and graduates in Geosciences and Stratigraphy.

<<中国地层名称>>

作者简介

Shouxin Zhang (1927-2006) was stratigrapher and research professor at the Institute of Geology and Geophysics, Chinese Academy of Sciences.

<<中国地层名称>>

章节摘录

Aba Formation (阿坝组) Compiling Group for Sichuan Regional Stratigraphic Scale, 1978
 , Regional Stratigraphic Scale of Southwest China : Sichuan Province , Beijing : Geological Publishing
 House. First appeared in a 1977 manuscript " The stratigraphic summary of Sichuan " by Integrative Research
 Team of Sichuan Bureau of Geology Aba Zang Autonomous Prefecture , west Sichuan Province Consists
 mainly of alternating beds of greyish black and grayish green slate , with interbeds of greyish mud-bearing slate
 , silty slate and thin-bedded marls Early Triassic. Abag Formation (阿巴嘎组) Abag Basalt
 Compiling Group for Inner Mongolia Regional Stratigraphic Scale , 1978. Regional Stratigraphic Scale of North
 China : Inner Mongolia Autonomous Region , Beijing : Geological Publishing House Abag Banner , Inner
 Mongolia Autonomous Region Consists mostly of greyish white sandstone and an alternation of dark grey basalt
 and marls Pleistocene. Abongshan Formation (阿布山组) Tibet Regional Geological Survey
 Team (Wu Ruizhong et al) , 1986 , Explanatory Text for 1 : 1 000 000 Scale Geological Map : Gaize Sheet
 The hill of Abongshan , 90 km northeast of Shuanghu lake area , north Tibet Autonomous Region Consists
 mostly of red sandstone , conglomerate , and interbeds of marls Late Cretaceous. Abor Formation (阿波
 尔组) Originally Abor Volcanics Brown J Coggin , 1912 , A geological reconnaissance through the
 Dihong valley , being the geological results of the Abor Expedition , 1911-1912. Rec. Geol. Surv. India , v01.42
 , 231-253 , p1.1 Abor in Siang district , eastern Tibet Autonomous Region Consists of basalt
 , volcano-clastic breccia and rhyolitic dacite etc. It is subdivided into Luotong Member (lower) and Jiku
 Member (upper) Sinian-Cambrian. Abuqiehai Formation (阿不切亥组) Abuqiehai Series
 Guan Shicong , Che Shuzheng , 1955 , Acta Geologica Sinica , 35 (2) Abuqiehai valley located south of
 Gangde ' er hill , in Zhuozishan Mountain area , Otog Banner , Inner Mongolia Autonomous
 Region Mainly composed of thin-bedded bamboo-leaf-like limestone , oolitic limestone , and an alternation
 of thick kidney limestone and shale , in lower part also with interbed of quartzose sandstone Cambrian
 Synonym of Hulusitai Formation.

<<中国地层名称>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>