

<<牙周手术临床指南（中英文对照）>>

图书基本信息

书名：<<牙周手术临床指南（中英文对照）>>

13位ISBN编号：9787509144404

10位ISBN编号：750914440X

出版时间：2011-1

出版时间：拜特曼(Geoffrey Bateman)、Shuva Saha、Iain L C Chapple、闫福华 人民军医出版社 (2011-01 出版)

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<牙周手术临床指南（中英文对照）>>

内容概要

《牙周手术临床指南(中英文对照)》为《口腔临床要点快速掌握系列》丛书的一个分册，这套丛书旨在提高在校学生的临床操作能力以及英语阅读能力。

全书主要包括：病例选择和计划制定，基本手术原则，牙龈增生的手术治疗，用于根面平整的翻瓣术，再生性牙周技术，根尖周手术，硬组织切除术，冠延长术等。

《牙周手术临床指南(中英文对照)》内容精练，结构合理，适合口腔医学院校在校学生、口腔全科医师的临床学习参考使用。

作者简介

作者：（英国）拜特曼（Geoffrey Bateman）（英国）Shuva Saha（英国）Iain L C Chapple 译者：闫福华 钟泉

<<牙周手术临床指南（中英文对照）>>

书籍目录

第1章 牙周手术的实践原则1：病例选择和计划制定第2章 牙周手术的实践原则2：基本手术原则第3章 牙龈增生的手术治疗第4章 用于根面平整的翻瓣术第5章 再生性牙周技术第6章 根尖周手术第7章 硬组织切除术第8章 冠延长术第9章 膜龈移植术——一篇概述第10章 种植术中的硬组织手术(牙槽嵴骨增量术)第11章 口腔种植体周围软组织手术

章节摘录

版权页：插图：Currently NSAIDs represent the goldstandard for relief of dentally relatedpain. In particular, a regime of ibuprofen800 mg three times daily (t.d.s.) providesthe most predictable relief of discomfort.If this has not been given preoperativelyit should be given immediately postoperatively. Paracetamol 1000 mg q.d.s,is an appropriate alternative wheretrade traditional NSAIDs are contraindicated.Opioid drugs may be used where painrelief is inadequate with NSAIDs. Thiswould, however, be relatively unusual.It is good practice to infiltrate postsurgically with a long-acting localanaesthetic such as bupivacaine 0.5% (Marcaine) . This will give the patientaround six to eight hours free fromdiscomfort, which may be enough toprovide a good night's sleep. A secondary effect is the prevention of central sensitisation to post-operative nociceptor activation. This has been shown to decrease post-operative use of analgesics, relative to placebo, long after theeffects of anaesthesia have disappeared (Hargreaves and Keiser, 2002) . Bupivacaine is available in 10 ml ampoulesfor hypodermic administration (Fig 1-5) .

编辑推荐

《牙周手术临床指南(中英文对照)》：口腔临床要点快速掌握系列

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>