

<<对称和凝聚态物理学中的计算方法>>

图书基本信息

书名：<<对称和凝聚态物理学中的计算方法>>

13位ISBN编号：9787510042812

10位ISBN编号：751004281X

出版时间：2012-3

出版时间：世界图书出版公司

作者：巴塔努尼

页数：922

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<对称和凝聚态物理学中的计算方法>>

内容概要

本书与其它传统著作不同，巴塔努尼编著的《对称和凝聚态物理学中的计算方法》首次系统地介绍了现代物理学中三个非常重要的主题：对称、凝聚态物理和计算方法以及它们之间的有机联系。本书展示了如何有效地利用群论来研究与对称性有关的实际物理问题，首先介绍了对称性，进而引入群论并详细介绍了群的表示理论、特征标的计算、直积群和空间群等，然后讲解利用群论研究固体的电子性质以及表面动力学特性，此外还包括群论在傅立叶晶体学，准晶和非公度系统中的高级应用。本书包括大量的mathematica示例程序和150多道练习，可以帮助读者进一步理解概念。本书是凝聚态物理，材料科学和化学专业的研究生的理想教材。

书籍目录

- preface
- 1 symmetry and physics
 - 1.1 introduction
 - 1.2 hamiltonians, eigenfunctions, and eigenvalues
 - 1.3 symmetry operators and operator algebra
 - 1.4 point-symmetry operations
 - 1.5 applications to quantum mechanics
- exercises
- 2 symmetry and group theory
 - 2.1 groups and their realizations
 - 2.2 the symmetric group
 - 2.3 computational aspects
 - 2.4 classes
 - 2.5 homomorphism, isomorphism, and automorphism
 - 2.6 direct- or outer-product groups
- exercises
- 3 group representations: concepts
 - 3.1 representations and realizations
 - 3.2 generation of representations on a set of basis functions
- exercises
- 4 group representations: formalism and methodology
 - 4.1 matrix representations
 - 4.2 character of a matrix representation
 - 4.3 burnside's method
- exercises
- computational projects
- 5 dixon's method for computing group characters
 - 5.1 the eigenvalue equation modulo p
 - 5.2 dixon's method for irreducible characters
 - 5.3 computer codes for dixon's method
- appendix 1 finding eigenvalues and eigenvectors
- exercises
- appendix 2
- computation project
- 6 group action and symmetry projection operators
 - 6.1 group action
 - 6.2 symmetry projection operators
 - 6.3 the regular projection matrices: the simple characteristic
- exercises
- 7 construction of the irreducible representations
 - 7.1 eigenvectors of the regular rep
 - 7.2 the symmetry structure of the regular rep eigenvectors
 - 7.3 symmetry projection on regular rep eigenvectors
 - 7.4 computer construction of irreps with ds]1

<<对称和凝聚态物理学中的计算方法>>

7.5 summary of the method

exercise

8 product groups and product representations

8.1 introduction

8.2 subgroups and cosets

8.3 direct outer-product groups

8.4 semidirect product groups

8.5 direct inner-product groups and their representations

8.6 product representations and the clebsch-gordan series

8.7 computer codes

8.8 summary

exercises

9 induced representations

9.1 introduction

9.2 subduced reps and compatibility relations

9.3 induction of group reps from the irreps of its subgroups

9.4 irreps induced from invariant subgroups

9.5 examples of irrep induction using the method of
little-groups

appendix frobenius reciprocity theorem and other useful
theorems

exercises

10 crystallographic symmetry and space-groups

10.1 euclidean space

10.2 crystallography

10.3 the perfect crystal

10.4 space-group operations: the seitz operators

10.5 symmorphic and nonsymmorphic space-groups

10.6 site-symmetries and the .wyckoff notation

10.7 fourier space crystallography

exercises

11 space-groups: irreps

11.1 irreps of the translation group

11.2 induction of irreps of space-groups

exercises

12 time-reversal symmetry: color groups and the onsager
relations

12.1 introduction

12.2 the time-reversal operator in quantum mechanics

12.3 spin-1/2 and double-groups

12.4 magnetic and color groups

12.5 the time-reversed representation: theory of
corepresentations

12.6 theory of crystal fields

12.7 onsager reciprocity theorem (onsager relations) and transport
properties

exercises

<<对称和凝聚态物理学中的计算方法>>

13 tensors and tensor fields

13.1 tensors and their space-time symmetries

13.2 construction of symmetry-adapted tensors

13.3 description and classification of matter tensors

13.4 tensor field representations

exercises

14 electronic properties of solids

14.1 introduction

14.2 the one-electron approximations and self-consistent-field theories

14.3 methods and techniques for band structure calculations

14.4 electronic structure of magnetically ordered systems

appendix i derivation of the hartree-fock equations

appendix 2 holstein-primakoff (hp) operators

exercises

15 dynamical properties of molecules, solids, and surfaces

15.1 introduction

15.2 dynamical properties of molecules

15.3 dynamical properties of solids

15.4 dynamical properties of surfaces

appendix 1 coulomb interactions and the method of ewald summation

appendix 2 electronic effects on phonons in insulators and semiconductors

exercises

16 experimental measurements and selection rules

16.1 introduction

16.2 selection rules

16.3 differential scattering cross-sections in the born approximation

16.4 light scattering spectroscopies

16.5 photoemission and dipole selection rules

16.6 neutron and atom scattering spectroscopies

exercises

17.1 phase transitions and their classification

17.2 landau theory of phase transitions: principles

17.3 construction and minimization techniques for

exercises

18 incommensurate systems and quasi-crystals

18.1 introduction

18.2 the concept of higher-dimensional spaces: superspaces and superlattices

18.3 quasi-crystal symmetry: the notion of indistinguishability and the classification of space-groups

18.4 two-dimensional lattices, cyclotomic integers, and axial stacking

bibliography

references

index

章节摘录

版权页：插图： The application of group theory to study physical problems and their solutions provides a formal method for exploiting the simplifications made possible by the presence of symmetry . Often the symmetry that is readily apparent is the symmetry of the system/object of interest , such as the three—fold axial symmetry of an NH₃ molecule . The symmetry exploited in actual analysis is the symmetry of the Hamiltonian . When alluding to sym—metry we usually include geometrical , time—reversal symmetry , and symmetry associated with the exchange of identical particles . Conservation laws of physics are rooted in the symmetries of the underlying space and time . The most common physical laws we are familiar with are actually manifestations of some universal symmetries . For example , the homogeneity and isotropy of space lead to the conservation of linear and angular momentum , respectively , while the homogeneity of time leads to the conservation of energy . Such laws have come to be known as universal conservation laws . As we will delineate in a later chapter , the relation between these classical symmetries and corresponding conserved quantities is beautifully cast in a theorem due to Emmy Noether . At the day—to—day working level of the physicist dealing with quantum mechanics , the application of symmetry restrictions leads to familiar results , such as selection rules and characteristic transformations of eigenfunctions when acted upon by symmetry operations that leave the Hamiltonian of the system invariant . In a similar manner , we expect that when a physical system/object is endowed with special symmetries , these symmetries forge conservation relations that ultimately determine its physical properties . Additionally , the derivation of the physical states of a system has been performed without invoking the symmetry properties , however , the advantage of taking account of symmetry aspects is that it results in great simplification of the underlying analysis , and it provides powerful insight into the nature and the physics of the system . The mathematical framework that translates these symmetries into suitable mathematical relations is found in the theory of groups and group representations . This is the subject we will try to elucidate throughout the chapters of this book . We know this to be true because $\sin x$ is an odd function ; $\sin (- x) = - \sin (x)$. In evaluating this integral , we have taken advantage of the asymmetry of its integrand . In order to cast this problem in the language of symmetry we introduce two mathematical operations : σ , which we will identify later with the operation of inversion , and τ , for now , changes the sign of the argument of a function , i . e . $f (x) = f (- x)$; and E , which is an identity operation , $E f (x) = f (x)$. This allows us to write Figure 1 . 1 shows schematically the plane of integration , with q_3 and θ indicating the sign of the function $\sin x$. We may introduce a more complicated integrand function $f (x , y)$, and carry the integration over the equilateral triangular area shown in Figure 1 . 2 .

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>