

<<农药专业英语>>

图书基本信息

书名：<<农药专业英语>>

13位ISBN编号：9787122044136

10位ISBN编号：7122044130

出版时间：2009-3

出版时间：化学工业出版社

作者：骆焱平，符悦冠 主编

页数：245

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<农药专业英语>>

前言

随着科学技术的不断发展，农药生产已由过去依靠单纯的天然获取转变为如今的有机合成，特别是高通量筛选和组合化学在农药生产中的应用，使得农药的开发速度不断加快，新的农药品种不断出现。

然而，农药新品种、新技术大多是由跨国农药公司开发的，各种资料和文献主要以英语为载体，国内学者和广大农药学专业师生在查阅和参考相关数据时，如果没有扎实的专业英语知识，很难对国际农药学动向作全面的了解，也很难加以甄别和吸收。

因此，学好农药学专业英语显得尤为重要。

然而，目前国内并没有专门农药学专业英语教材，基于此，我们组织编写了这本《农药专业英语》。适用对象为植物保护、农药学等专业的本科生和研究生，也可作为参考资料供相关专业人士使用。

全书分为10个部分，共计20个单元40篇课文，分别介绍了化学农药、生物农药、农药毒理学、农药剂型、农药生物测定、农药残留分析、抗药性、农药使用技术、农药管理及农药环境与健康等方面的内容。

全书内容丰富全面，专业词汇完备，每个单元后面均列有详细注释，并提供一定量的习题进行练习和巩固。

书后附录包括常见农药专业英语词根、前后缀，农药剂型名称及代码，农药中英文名称。

本书从化学农药、生物农药到农药生物测定；从农药剂型、使用技术到农药管理；从农药毒理学、农药残留分析到抗药性，以及农药对环境和人类健康的影响等，均选编了相关文献，列举了大量专业词汇，希望能帮助广大学生对农药学专业英语有一个全面、系统和深入的了解，也希望他们在进一步的学习和工作中，能够熟练使用专业外语，这正是编者编写本书的目的之所在。

<<农药专业英语>>

内容概要

本书是根据近年来农药学科快速发展要求编写而成。

分别介绍了化学农药、生物农药、农药毒理学、农药剂型、农药生物测定、农药残留分析、抗药性、农药使用技术、农药管理及环境与健康等方面内容。

书后附录包括常见农药专业词根、前后缀，农药剂型名称及代码，农药中英文名称。

本书可供农药学专业的本科生和研究生使用，也可作相关专业人员的教学和参考用书。

<<农药专业英语>>

书籍目录

PART I CHEMICAL PESTICIDES Unit 1 Chemistry of Pesticides Unit 2 Chemical Classes of Insecticides
 PART II BIOLOGICAL PESTICIDES" Unit 3 Biopesticides Unit 4 Biopesticides Based on Phytochemicals
 PART III TOXICOLOGY OF PESTICIDE Unit 5 Cholinesterases Unit 6 the Mode of Action of Glyphosate
 PART IV FORMULATIONS Unit 7 The Formulations of Pesticides (I) Unit 8 The Formulations of Pesticides (II)
 PART V BIOASSAYS Unit 9 Experimental Design of Bioassays Unit 10 Bioassays of *B. thuringiensis*
 PART VI PESTICIDE RESIDUES Unit 11 Pesticide Residues in Food and International Trade Unit 12 Analytical Method of the Pesticide Residues.
 PART VII RESISTANCE Unit 13 Resistance to Pesticides Unit 14 Mechanisms of Resistance to Pesticides
 PART VIII APPLICATION OF PESTICIDES. Unit 15 Application Technologies. Unit 16 Delivery of Pesticides in Agriculture
 PART IX PESTICIDE MANAGEMENT Unit 17 Pesticide Management in China. Unit 18 Pesticide Regulation in USA

章节摘录

Purification. The filtrate resulting from sample extraction is a complex mixture that contains organic solvent (s) , water, biochemicals (lipids, sugars, amino acids, and proteins) , and secondary metabolites (organic acids, alkaloids, terpenoids, etc.) at high concentrations with very minute amounts of the pesticide residues of interest. It is a challenging task to isolate and detect pesticide residues of interest in the presence of high levels of background chemicals, often called matrix interferences. Most crude extracts require some purification prior to analysis. Purification involves the removal of water, evaporation of excess organic solvent, and selective trapping to separate pesticides from interferences. The greater the number of cleanup steps included in a method, the greater the losses of analytes and the longer it takes to carry out the analysis. Most of the water must be removed from the extract to further concentrate the desired analytes. Much water is quickly removed by partitioning the organic solvent with sodium chloride-saturated water. These techniques remove large amounts of the water, but the remaining traces of water must be removed by filtering or adding dehydrated hygroscopic salts (e.g., Na_2SO_4) to the organic phase of the extract. Recoveries of extremely water-soluble pesticides such as acephate and methamidophos can vary depending on the concentration of other solutes and the mechanism of water removal. Even after the removal of many water-soluble coextractives, extracts still contain large amounts of interfering compounds and only trace levels of pesticide residues. Buffering the aqueous phase close to a pH of 7 prior to removing water causes more ionic and polar biochemicals to partition into the water and results in removing large quantities of organic acids from the organic phase, which contains neutral and nonpolar chemicals, including pesticide residues. It is also possible to remove large amounts of nonpolar plant constituents before removing the water by filtering the aqueous/organic extract through reversed-phase solid-phase extraction (SPE) material or an activated carbon sorbent. Because extracts must be concentrated 100-fold or more, a requirement for trace residue analyses, rapid and efficient concentration techniques are preferred. Rotary evaporators and Kuderna-Danish sample concentrators are good for concentrating thermally labile and highly volatile pesticides. Heating the extract in an open beaker with a stream of gas is also an efficient and inexpensive way to achieve concentration.

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>